

beyond

Ultimate audio comfort for extended listening

The DALI IO-4 and DALI IO-6 are wireless, battery rechargeable hi-fi headphones. Both are over-ear (circumaural), closed-back designs, engineered to offer extremely high sound quality. Both are available in two colour finishes: Iron Black and Caramel White.

The IO-6 differs from the IO-4 by including active noise cancellation (ANC) that also includes a 'transparency' mode that lets outside noise in where needed. In forgoing ANC, however, the IO-4 is able to offer an incredible battery life of up to 60 hours per charge.

DALI IO headphones are the perfect travel companions. We all spend more and more time on the go – we commute to work, we travel for business and pleasure. But all this time on the move can also be time to spend on what we enjoy, whether that's listening to music or watching a film. The DALI IO headphones are perfect for those 'on the go' moments.

Now you can take that fabulous DALI sound with you wherever you go.

Designed and engineered in Denmark

The DALI IO-4 and DALI IO-6 are true DALI products, made with our trademark attention to detail. Every single component in the IO headphones is unique and created to the highest possible standards of design, durability, comfort, functionality and, of course, sound quality.

From the start there was a clear goal: DALI headphones should deliver the best possible sound quality, while at the same time being as comfortable to wear as possible, even when in use for many hours.

Minimal weight

Crucial to long-term comfort over extended periods is a headphone's weight. The DALI IO headphones have been designed to minimise weight and every material has been chosen to achieve this without compromising on either quality or durability.

Maximum comfort

Every one of us is unique. We all have different sized heads and ears. To ensure maximum comfort for extended listening, DALI IO headphones have been ergonomically optimised to fit as many people as possible. This required numerous prototypes, and analysis of numerous different combinations of ear pads, headband curves and ear-cup angles. The result is a design with the adjustability required to provide a natural fit for everyone.

Softly does it

As the primary contact point between the user's head and the headphones, the ear pad is an incredibly important component, not only for comfort but also for acoustic performance. For consistent audio excellence, the ear pad needs to create a seal to the head, and for maximum comfort it needs to be soft and compliant and to distribute headband pressure evenly.

The DALI IO series are luxurious wireless headphones, designed and developed in Denmark, with class-leading battery life, audio comfort and sonic performance.





Hands-free calls and voice assist

The DALI IO's built-in microphone makes taking calls and voice control a breeze.

Connectivity

Alongside Wireless Bluetooth connection, the DALI IO also supports wired connections through the USB-C and the 3.5mm mini jack input.







TECHNICAL SPECIFICATIONS

10-4

10-6

Headphone principle	Closed back circumaural (over ear)	Closed back circumaural (over ear)
Full Range Driver	50mm free edge paper fibre cone	50mm free edge paper fibre cone
Connection input(s)	Bluetooth (wireless) 3.5mm Mini Jack stereo USB-C	Bluetooth (wireless) 3.5mm Mini Jack stereo USB-C
Wireless inputs	Bluetooth 5.0 AAC aptX aptX HD	Bluetooth 5.0 AAC aptX aptX HD
Functions	Power ON/OFF Bluetooth Pair/ Release Volume up/down Play/pause/skip track Take call	Power ON/OFF Bluetooth Pair/ Release Volume up/down Play/pause/skip track Take call ANC mode (ON/Transparancy/OFF)
Noise reduction	N/A	Active Noise Cancellation (ANC)
Hands-free calls and voice assist	Clear Voice Communication (CVC)	Clear Voice Communication (CVC)
Battery life	Up to 60Hrs	Up to 30Hrs
Accessories included	USB-C cable (1.25m) 3.5mm stereo cable (1.25m) String Bag	USB-C cable (1.25m) 3.5mm stereo cable (1.25m) Flight adaptor Travel case
Finish	Iron Black Caramel White	Iron Black Caramel White
Replaceable earpads	Yes	Yes
Weight	320g	325g
Compact storage	One-way foldable	One-way foldable
IP Rating	IP53	IP53
Frequency Range (+/-3dB) [Hz]	10Hz-20kHz	10Hz-20kHz
Max SPL [dBA] BT/ USB full scale	100dBA	100dBA
Analogue Input sensitivity for 94dB spl @ 500Hz (Passive mode/ Active mode)	200 mV rms /175 mV rms	200 mV rms /175 mV rms
Impedance (Passive mode)	25 Ohm	25 Ohm